

Avide Exit Light ALU recessed with horizontal sign IP20

Product code:	AEXITL-IP20-RE	
Brand link:		QR code:
ID:	AB-190518	Date of issue: 2024-10-03
Company name:	Bramcke Hungary Kft.	
Company address:	Kishatár utca 17., 4031 Debrecen	Page: 1/3

SPECIFICATIONS

EAN code:	5999097951768
Warranty:	
Color:	
Material:	
Working temperature:	
Packaging:	1/b 6/c 180/p
Certifications:	
Accessories:	Self-adhesive stickers

TECHNICAL DETAILS

1W
3.6V
No
30lm
50 000h
DIP
Ni-Cd 3-6V, 500mAh
180min
24h
IP20

BOX PICTURE



avide Þ

Avide Exit Light ALU recessed with horizontal sign IP20

Product code:	AEXITL-IP20-RE	
Brand link:		QR code:
ID:	AB-190518	Date of issue: 2024-10-03
Company name:	Bramcke Hungary Kft.	
Company address:	Kishatár utca 17., 4031 Debrecen	Page: 2/3

PRODUCT SIZE

Width:	365mm
Height:	100mm
Depth:	238mm

CARDBOARD BOX

EAN:	5999097951768
Packaging:	1/b 6/c 180/p
Dimensions:	
Net weight:	416g
Gross weight:	485g

CARTON


EAN:	5999097951775
Packaging:	1/b 6/c 180/p
Dimensions:	
Net weight:	2.496kg
Gross weight:	2.91kg

PALLET EXAMPLE

Height:	
Width:	120cm (std Euro pallet)
Mepth:	80cm (std Euro pallet)
Cartons per pallet:	30carton/pallet
Cartons per row:	
Net weight:	74.88kg
Gross weight:	87.3kg

PRODUCT PICTURE

PRODUCT OUTLINE





Avide Exit Light ALU recessed with horizontal sign IP20

Product code:	AEXITL-IP20-RE	
Brand link:		QR code:
ID:	AB-190518	Date of issue: 2024-10-03
Company name:	Bramcke Hungary Kft.	
Company address:	Kishatár utca 17., 4031 Debrecen	Page: 3/3

PRODUCT DESCRIPTION

The Avide LED exit light is an edge-lit product with adhesive pictograms and 1 W output providing constant light. Back-up time in the case of a power failure is 180 minutes.

It can be mounted in four different ways (the sign can be mounted on the wall and ceiling alike and can also be rotated 90 °).

- suspended from a chain (80 cm)

- mounted on the ceiling

- mounted on a vertical wall in two different ways. Note that the product may also be mounted laterally with the set provided!

<u>Contents of the box</u>: light fixture, clear acrylic sheet, lateral mounting kit, 80 cm suspension chain, two types (horizontal, 45 °) of direction indicating arrows, pictograms with figure running to the right and left, complete instructions for use and installation in English and Hungarian.